

BONECO
healthy air

TRADITION SINCE 1956
 A SWISS COMPANY

F220CC

F230CC

Quick Manual





EN Always observe all safety notes (included separately in delivery)

EN These condensed instructions help to save paper. If you require more in-depth information about the BONECO device, please download the expanded instructions in PDF format:

www.boneco.us/downloads

FR Veuillez respecter impérativement l'ensemble des consignes de sécurité (fournies séparément dans le contenu de la livraison).

FR Ce manuel compact permet de réaliser des économies de papier. Si vous avez besoin de plus amples informations sur l'appareil BONECO, téléchargez le manuel détaillé au format PDF:

www.boneco.us/downloads

ES Tenga en cuenta siempre todas las indicaciones de seguridad (se suministran aparte junto con el producto).

ES Estas breves instrucciones ayudan a ahorrar papel. Si desea información más detallada sobre el aparato de BONECO, descargue las instrucciones completas en formato PDF:

www.boneco.us/downloads




EN 1. Scope of delivery • 2. Technical specifications • 3. First use • 4. Moving the unit to a new location • 5. Height adjustment (Overview) • 6. Height adjustment • 7. Disassembly and storage • 8. Cleaning


FR 1. Contenu de la livraison • 2. Caractéristiques techniques • 3. Première utilisation • 4. Déplacement de l'unité vers un nouvel emplacement • 5. Adaptation de la hauteur (aperçu) • 6. Adaptation de la hauteur • 7. Démontage et conservation • 8. Nettoyage

ES 1. Contenido • 2. Datos técnicos • 3. Primer uso • 4. Cambio de la unidad a una ubicación nueva • 5. Ajuste de la altura (vista general) • 6. Ajuste de la altura • 7. Desmontaje y almacenamiento • 8. Limpieza


1. SCOPE OF DELIVERY



BONECO fan unit



Removable connector piece



Base with power cord



Filtere HEPA-ESP




Safety instructions




Quick Manual

2. TECHNICAL SPECIFICATIONS (at 120 V~ 60Hz)




120V ~ 60Hz



36W



530 ft³/min



F220CC: 14.8 x 14.8 x 33.5 in
F230CC: 14.8 x 14.8 x 47.6 in



38 - 60 dB(A)



F220CC: 17.6 lbs
F230CC: 27.6 lbs







4.9 ft/sec







CADR up to 100 cfm

3. FIRST USE





4. MOVING THE UNIT TO A NEW LOCATION






5. HEIGHT ADJUSTMENT (OVERVIEW)



F230CC

F220CC
F230CCF220CC
F230CC


 For safety reasons, a maximum of two connector pieces can be used at once for the BONECO F230CC and a maximum of one for the BONECO F220CC.

6. HEIGHT ADJUSTMENT










7. DISASSEMBLY AND STORAGE






8. CLEANING





OR



BONECO
healthy air

www.boneco.us

BONECO is a registered trademark of BONECO AG, Switzerland
BONECO AG, Espenstrasse 85, 9443 Widnau, Switzerland

80191-02